

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/647,364	08/25/2003	Paul Richard Blais	H-732-0-US	2123
24132	7590 04/07/2006		EXAM	INER
HUSKY INJECTION MOLDING SYSTEMS, LTD			KIM, CHRISTOPHER S	
	CO/AMC INTELLECTUAL PROPERTY GRP 500 OUEEN ST. SOUTH			PAPER NUMBER
BOLTON, ON L7E 5S5 CANADA			3752	
			DATE MAILED: 04/07/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
Office Action Comments	10/647,364	BLAIS, PAUL RICHARD			
Office Action Summary	Examiner	Art Unit			
	Christopher S. Kim	3752			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status					
1) Responsive to communication(s) filed on <u>08 De</u>	ecember 2005.				
2a)⊠ This action is FINAL . 2b)☐ This	action is non-final.				
3) Since this application is in condition for allowan	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) Claim(s) <u>1-31</u> is/are pending in the application.					
4a) Of the above claim(s) 3,5-19,21-23 and 29-31 is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1,2,4,20 and 24-28</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers					
9) The specification is objected to by the Examiner.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
Applicant may not request that any objection to the o	- · ·	* *			
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 					
2. Certified copies of the priority documents	2. Certified copies of the priority documents have been received in Application No				
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s)					
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)			
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ite atent Application (PTO-152)			
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	6) Other:	atent Application (FTO-132)			

Application/Control Number: 10/647,364 Page 2

Art Unit: 3752

DETAILED ACTION

Response to Amendment

1. The response filed December 8, 2005 is acknowledged.

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Election/Restrictions

3. Claims 3, 5, 6-19 remain withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected invention/species, there being no allowable generic or linking claim. Applicant timely traversed the restriction (election) requirement in the reply filed on May 4, 2005.

4. Newly added claims 21, 22, 23 and 29-31 are withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected species, there being no allowable generic or linking claim. Applicant timely traversed the restriction (election) requirement in the reply filed on May 4, 2005.

Applicant indicated that claim 21 is readable on the elected Species A, figure 1.

Claim 21 recites a "valve stem" which is only readable on the non-elected Species B, figure 2.

Claim Rejections - 35 USC § 102/103

Art Unit: 3752

5. Claims 1, 2, 4, 20 and 24-28 are rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Schwarzkopf (5,573,185).

Page 3

Schwarzkopf discloses an injection molding nozzle tip comprising: a first portion 1; a second portion 9; a tip insert 4; a tip melt channel 5. The first portion 1 is made of steel to which second portion 9 is fused to by welds 12 and 13. The different materials of first portion 1 and second portion 9 is shown by the different cross hatching in figure 3.

If applicant believes that Schwarzkopf does not discloses different materials, metals/materials other than steel are well known in the art. It would have been obvious to a person having ordinary skill in the art at the time of the invention to have made the second portion of Schwarzkopf from metal/material other than steel for heat insulation, ease in fabrication, prevent corrosion, etc.

Response to Arguments

6. Applicant's arguments filed December 8, 2005 have been fully considered but they are not persuasive.

Applicant argues that Claim 1 requires both a nozzle tip and a housing. The examiner regrets any misunderstanding of the prior Office action. Schwarzkopf's injection molding machine to which the nozzle of figure 1 is mounted to is considered to be the nozzle housing. Such a machine inherently has a melt channel and source which supplies fluid to tip melt channel 5.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher S. Kim whose telephone number is (571) 272-4905. The examiner can normally be reached on Monday - Thursday, 6:30 AM -5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Scherbel can be reached on (571) 272-4919. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/647,364

Art Unit: 3752

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Chustopher S. Kim Primary Examiner Art Unit 3752

CK